

Date: Tuesday, 12/18/2007 10:51:25 AM  
 User: Kim Johnston

## Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : WEARPLATE
Job Number : 36425	
Estimate Number : 12731	
P.O. Number : <i>N/A</i>	Part Number : D353535
This Issue : 12/18/2007 S.O. No. : <i>N/A</i>	Drawing Number : D3535 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : <i>N/A</i> Type : SMALL /MED FAB	Drawing Revision : B
Previous Run : 36194	Material : <i>N/A</i>
Written By : <i>[Signature]</i>	Due Date : 1/15/2008 Qty: 20 Um: Each
Checked & Approved By : <i>[Signature]</i> 07.12.18	
Comment : Est Rev: New Issue 07-02-15 JLM	
Est Rev: B As per Rev B 07-08-31 JLM Verified By: EC	

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description:
---------	-----------------------	--------------

1.0	M304S20GA	304/316 .040 Sheet
-----	-----------	--------------------

*21.8998*

Comment: Qty.: 0.8423 sf(s)/Unit Total: 16.8462 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch: *106702 IB 8-1-7*

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D3535

Dwg Rev: *B IB 8-1-7*Prog Rev: *B**(26)*2-Deburr if necessary *IB 8-1-7*

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--

*IB 8-1-7*

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

*counters 08/01/08 (26)*

5.0	BRAKE NC	NC BRAKE
-----	----------	----------



Comment: NC BRAKE

1-Deburr if necessary

2-Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326.

3-Identify as D3535-35.

*SB 08/01/08 (26)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: ☒ Date: 08/01/11

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 12/18/2007 10:51:25 AM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARPLATE

Job Number: 36425

Part Number: D353535

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/01/08 (x26)

7.0

POWDER COATING

POWDER COATING



M105642



(26X)

Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

M-1 08/01/09

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

08-01-09

(x26)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: FP-17

YJ

08-01-09

(x26)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/01/11

Job Completion



08-01-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	36425
<b>Description:</b> Wearshoe		<b>Part Number:</b>	D3535-35
<b>Inspection Dwg:</b> D3535 <b>Rev:</b> B		<b>Page 1 of 1</b>	

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article      ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
2.000	+/-0.010	2.000	X			
1.885	+/-0.010	1.887	X			
6.00	+/-0.030	6.00	X			
6.75	+/-0.030	6.75	X			
Ø0.188	+0.005/-0.001	.189	X			
23.250	+/-0.010	23.250	X			
19.750	+/-0.010	19.750	X			
17.750	+/-0.010	17.750	X			
14.250	+/-0.010	14.250	X			
9.500	+/-0.010	9.500	X			
4.750	+/-0.010	4.750	X			
0.300	+/-0.010	.302	X			
0.300	+/-0.010	.302	X			
0.038	+/-0.010	.036	X			

<b>Measured by:</b>	MB	<b>Audited by:</b>	J	<b>Prototype Approval:</b>	N/A
<b>Date:</b>	8-1-7	<b>Date:</b>	08/01/08	<b>Date:</b>	N/A


Rev	Date	Change	Revised by	Approved
A	07.05.10	New Issue	KJ/JLM	E

**DART**


RELEASED

07.04.24


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
<i>[Signature]</i>	<i>[Signature]</i>	D3535
DATE	TITLE	REV. B
07.04.17	WEARSHOE	SHEET 1 OF 7
A	06.10.25	NEW ISSUE
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC




**D3535-11F FLAT PATTERN**



**D3535-11 BEND DETAIL**



**D3535-13F FLAT PATTERN**



**D3535-13 BEND DETAIL**

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION





SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
36425

**DART**

RELEASED

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
<i>[Signature]</i>	<i>[Signature]</i>	D3535
DATE	TITLE	REV. B
07.04.17	WEARSHOE	SHEET 2 OF 7
		SCALE 1:10

**D3535-15F FLAT PATTERN****D3535-15 BEND DETAIL****D3535-21F FLAT PATTERN****D3535-21 BEND DETAIL****NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 36425

**DART**

RELEASED

07.04.24


DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	#	APPROVED	#	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 3 OF 7
		SCALE	1:10	




**D3535-23F FLAT PATTERN**



**D3535-23 BEND DETAIL**



**D3535-25F FLAT PATTERN**



**D3535-25 BEND DETAIL**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 36425

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION






**DART**

DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 4 OF 7
				SCALE
				1:10

RELEASED

07.04.24



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 36425

**NOTES**


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

# DART



RELEASED

07.04.17


DESIGN	C.B.	DRAWN BY	CH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 5 OF 7
		SCALE	1:10	



**D3535-35F FLAT PATTERN**



**D3535-37F FLAT PATTERN**



**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 36425

**DART**


RELEASED

07.04.24

DESIGN	C B	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 6 OF 7
		SCALE	1:10	




**D3535-39F FLAT PATTERN**




**D3535-39 BEND DETAIL**

NO. 36425  
WORK ORDER  
UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY  
SUSJECT TO AMENDMENT  
WITHOUT NOTICE



**D3535-41F FLAT PATTERN**



**D3535-41 BEND DETAIL**

- NOTES**
- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
  - 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
  - 3) PART IS SYMMETRICAL ABOUT C
  - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 5) ALL DIMENSIONS ARE IN INCHES
  - 6) BREAK ALL SHARP EDGES TO 0.010 MAX
  - 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
  - 8) SEE PAGE 7 FOR DETAILS AND SECTION


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Copyright © 2006 by DART AEROSPACE USA, INC.


**DART**

DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	TITLE	WEARSHOE	REV. B
		DRAWING NO.	D3535	SHEET 7 OF 7
		SCALE	1:1	


RELEASED  
07.04.24 *[Signature]*



**DETAIL B**



**DETAIL A**



**SECTION C-C**